

### **AMENDMENTS TO THE ABSTRACT**

Kindly replace the original Abstract with the enclosed Abstract.

### **ABSTRACT OF THE DISCLOSURE(clean copy)**

A labeling apparatus of the present invention is constituted by: at least three support rollers which come into contact with the outer surface of the vial to rotate; an arm for rotatably supporting the support rollers; a rotation unit (rotation rollers) for rotating the vial held by the support rollers; a label supply unit for supplying labels to be attached on the outer surface of the vial; and an endless member which rotates according to the rotation of the vial between a first support roller with which the label fed from the label supply unit comes into contact first and a second support roller with which the label comes into contact second.

### ABSTRACT OF THE DISCLOSURE(mark-up)

A labeling apparatus of the present invention is constituted by: at least three support rollers ~~156a-156e~~ which come into contact with the outer surface of the vial ~~3~~ to rotate; an arm ~~155a, 155b~~ for rotatably supporting the support rollers ~~156a-156e~~; a rotation means-unit (rotation rollers ~~210a, 210b~~) for rotating the vial ~~3~~ held by the support rollers ~~156a-156e~~; a label supply means-200-unit for supplying labels ~~4~~ to be attached on the outer surface of the vial ~~3~~; and an endless member ~~157~~ which rotates according to the rotation of the vial ~~3~~ between a first support roller ~~156a~~ with which the label ~~4~~ fed from the label supply ~~means-200-unit~~ comes into contact firstly first and a second support roller ~~156b~~ with which the label ~~4~~ comes into contact ~~secondary~~ second.